(12)

## **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3: 29.09.1999 Bulletin 1999/39

(51) Int. Cl.<sup>6</sup>: **B60R 21/20**, B60R 16/02

(43) Date of publication A2: 30.12.1998 Bulletin 1998/53

(21) Application number: 98111560.3

(22) Date of filing: 23.06.1998

(84) Designated Contracting States:

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU

MC NL PT SE

Designated Extension States:

AL LT LV MK RO SI

(30) Priority: 24.06.1997 JP 16772197 24.06.1997 JP 16772897 27.06.1997 JP 17227897

(71) Applicant: TOYODA GOSEI CO., LTD. Nishikasugai-gun Aichi-ken (JP) (72) Inventors:

 Sakurai, Kouji Inazawa-shi, Aichi-ken (JP)

Fujita, Yoshiyuki
 Nagoya-shi, Aichi-ken (JP)


(74) Representative:
Pellmann, Hans-Bernd, Dipl.-Ing. et al
Patentanwaltsbüro
Tiedtke-Bühling-Kinne & Partner
Bavariaring 4
80336 München (DE)

### (54) Steering wheel having air bag module

A steering wheel in which a ceiling portion (46) of a pad (45) of an air bag module (M1) has adjacent peripheral edges (46a) extending along the individual spoke portions (S) of a steering wheel body to be positioned close to a cover layer (27) of the individual spoke portions. Each of the adjacent peripheral portions has a push rib (51). A bag holder (54) has extensions (63b) capable of abutting against the individual push ribs (51). Movable contacts of the individual switch bodies (70) are individually supported by the extensions under the push ribs. Stationary contacts of the individual switch bodies (70) are individually supported by a stationary plate (71) which is supported in abutment by the individual spoke portion cores in the vicinity of the individual stationary contacts. The steering wheel enables the operation of a horn switch with a reduced operational load when the peripheral edge of the pad of the air bag module is depressed and retains a clear feel of arrival at the bottom. This improves the operational feel of the horn switch.

In a second embodiment a horn switch is assembled with the air bag module body before being assembled with the steering wheel body. A function switch is assembled with a component of the horn switch before being assembled with the air bag module body.

In a third embodiment, the steering wheel comprises mounting bolts holding members with retaining pawls for temporarily mounting an air bag module on the steering wheel body. The air bag module comprises retaining holes in the vicinity of the screwing portion of each of said mounting bolt for retaining said pawls.



EP 0 887 239 A3



# PARTIAL SUROPEAN SEARCH REPORT

Application Number

under Rule 46, paragraph 1 of the European Patent EP 98 11 1560 Convention

3-4-	Citation of document with	indication, where appropriate,	Relevant	CLASSIFICATION OF THE	
Category ————————————————————————————————————	of relevant pass		to claim	APPLICATION (Int.CLS)	
Y	GB 2 270 657 A (AU 23 March 1994 * page 3, line 29 figures *	TOLIV DEVELOPMENT AB) - page 7, line 22;	1	B60R21/20 B60R16/02	
Y	DE 92 05 252 U (KE 17 June 1992 * page 7, line 8 - 1 *	une & LAUBER GMBH) page 8, line 8; figure	1		
A	PATENT ABSTRACTS 01 vol. 097, no. 006, & JP 09 030425 A 4 February 1997 * abstract *		1		
A	INC.) 21 July 1993	RTON INTERNATIONAL, 5 - line 49; figures 1-8	1,2		
Ą	EP 0 488 618 A (MAX 3 June 1992 * figure 2 *	ZDA MOTOR CORP.)	2	TECHNICAL FIELDS SEARCHED (Int.CL6)	
		-/			
LACK	OF UNITY OF INVENT	NOF			
the requir	sheet B	European patent application does not compty as to several inventions or groups of inventions	WWETT		
	nt partiel European search report has Scation which relate to the isvention	been drawn up for those parts of the Europea first mentioned in the claims.	n		
	Place of search	Date of completion of the search		Borrer	
	THE HAGUE	18 May 1999		ois, B	
X:parti Y:parti	TEGORY OF CITED DOCUMENTS cularly relevant if bricen alone cularly relevant if combined with anot ment of the same category	E : earlier patent door after the filing date her D : dooument cited in	T: theory or principle underlying the invention E: earlier patent document, but published on, or after the filing date D: document cleaf in the application L: document cleaf for other reasons  4: member of the same patent family, corresponding		



#### PARTIAL EUROPEAN SEARCH REPORT

Application Mumber

EP 98 11 1560

	DOCUMENTS CONSIDERED TO BE RELEVANT	CLASSIFICATION OF THE APPLICATION (HILCI.6)	
Cetogory	Otation of document with indication, where appropriate, of relevant passages.	Relevant to otalin	
P,A	EP 0 823 362 A (TOYODA GOSEI CO., LTD.) 11 February 1998 * column 5, line 3 - column 7, line 33; figures 2-7 *	1	
Ρ,Α	EP 0 785 107 A (GERSTEEN) 23 July 1997 * claims 1-7; figure 4 *	1	
			TECHNICAL FIELDS SEARCHED (InLCL6)
			·
	,		

EPO FORM 1569 E



# LACK OF UNITY OF INVENTION SHEET B

Application Number EP 98 11 1560

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

1. Claims: 1,2

Steering wheel having an air bag module with improved horn switch operating feel

2. Claims: 3,4

Steering wheel having an air bag module, a horn switch and a fonction switch  $% \left( 1\right) =\left\{ 1\right\}$ 

3. Claims: 5, 6

Steering wheel having an air bag module with improved temporary mounting means

## ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 98 11 1560

This armox lists the patent family members relating to the patent documents oited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

18-05-1999

AU 639644 B 29-07- CA 2083236 A 16-07- JP 2036579 C 28-03- JP 5278550 A 26-10- JP 7067899 B 26-07- MX 9206858 A 01-07-  EP 488618 A 03-06-1992 JP 4278861 A 05-10- JP 5032168 A 09-02- JP 4193649 A 13-07- JP 4201759 A 22-07- DE 69119370 D 13-06- DE 69119370 D 13-06- DE 69119370 T 28-11- US 5310218 A 10-05-  EP 823362 A 11-02-1998 JP 10100907 A 21-04-1 JP 10106382 A 24-04-1 JP 10100834 A 21-04-1  EP 785107 A 23-07-1997 FR 2743771 A 25-07-1	DE 9205252 U 17-06-1992 NONE  EP 551732 A 21-07-1993 US 5314203 A 24-05-17 AU 639644 B 29-07-18 CA 2083236 A 16-07-19 JP 2036579 C 28-03-18 JP 5278550 A 26-10-19 JP 7067899 B 26-07-19 MX 9206858 A 01-07-19 MX 9206858 A 01-07-19 JP 5032168 A 09-02-19 JP 4193649 A 13-07-19 JP 4201759 A 22-07-19 JP 4201759 A 21-04-19 JP 10106382 A 24-04-15 JP 10100834 A 21-04-15 JP 10100834 A 21-04-1	Patent documer cited in search rep		Publication date	Patent family member(s)	Publication date
EP 551732 A 21-07-1993 US 5314203 A 24-05- AU 639644 B 29-07- CA 2083236 A 16-07- JP 2036579 C 28-03- JP 5278550 A 26-10- JP 7067899 B 26-07- MX 9206858 A 01-07-  EP 488618 A 03-06-1992 JP 4278861 A 05-10- JP 5032168 A 09-02- JP 4193649 A 13-07- JP 4201759 A 22-07- DE 69119370 D 13-06- DE 69119370 T 28-11- US 5310218 A 10-05-  EP 823362 A 11-02-1998 JP 10100907 A 21-04-1 JP 10106382 A 24-04-1 JP 10100834 A 21-04-1 JP 10100834 A 21-04-1 JP 10100834 A 21-04-1	EP 551732 A 21-07-1993 US 5314203 A 24-05-1 AU 639644 B 29-07-1 CA 2083236 A 16-07-1 JP 2036579 C 28-03-1 JP 5278550 A 26-10-1 JP 7067899 B 26-07-1 MX 9206858 A 01-07-1 EP 488618 A 03-06-1992 JP 4278861 A 05-10-1 JP 5032168 A 09-02-1 JP 4193649 A 13-07-1 JP 4201759 A 22-07-1 JP 4201759 A 22-07-1 DE 69119370 D 13-06-1 JP 4201759 A 22-07-1 JP 10100834 A 21-04-1	GB 2278657	A	23-03-1994	NONE	
AU 639644 B 29-67- CA 2083236 A 16-07- JP 2036579 C 28-03- JP 5278550 A 26-10- JP 7067899 B 26-07- MX 9206858 A 01-07-  EP 488618 A 03-06-1992 JP 4278861 A 05-10- JP 5032168 A 09-02- JP 4193649 A 13-07- JP 4201759 A 22-07- DE 69119370 D 13-06- DE 69119370 T 28-11- US 5310218 A 10-05-  EP 823362 A 11-02-1998 JP 10100907 A 21-04-1 JP 10106382 A 24-04-1 JP 10100834 A 2T-04-1  EP 785107 A 23-07-1997 FR 2743771 A 25-07-1	AU 639644 B 29-87-12 CA 2083236 A 16-07-12 JP 2036579 C 28-03-12 JP 5278550 A 26-10-12 JP 7067899 B 26-07-12 MX 9206858 A 01-07-12  EP 488618 A 03-06-1992 JP 4278861 A 05-10-12 JP 5032168 A 09-02-12 JP 4193649 A 13-07-12 JP 4201759 A 22-07-12 JP 4201759 A 22-07-12 JP 4201759 A 22-07-12 JP 4201759 A 13-06-12 JP 503218 A 10-05-12 JP 4201759 A 22-07-12 JP 4201759 A 22-07-12 JP 4201759 A 22-07-12 JP 10106382 A 24-04-12 JP 10106382 A 24-04-12 JP 10100834 A 21-04-12  EP 785107 A 23-07-1997 FR 2743771 A 25-07-12 AU 1178697 A 20-08-12	DE 9205252	U	17-06-1992	NONE	
JP 5032168 A 09-02- JP 4193649 A 13-07- JP 4201759 A 22-07- DE 69119370 D 13-06- DE 69119370 T 28-11- US 5310218 A 10-05- EP 823362 A 11-02-1998 JP 10100907 A 21-04-1 JP 10106382 A 24-04-1 JP 10100834 A 2T-04-1 EP 785107 A 23-07-1997 FR 2743771 A 25-07-1	FP 785107 A 23-07-1997 FR 2743771 A 25-07-19 AU 1178697 A 20-08-19	EP 551732	A .	21-07-1993	AU 639644 B CA 2083236 A JP 2036579 C JP 5278550 A JP 7067899 B	24-05-19 29-07-19 16-07-19 28-03-19 26-10-19 26-07-19 01-07-19
EP 823362 A 11-02-1998 JP 10100907 A 21-04-1 JP 10106382 A 24-04-1 JP 10100834 A 21-04-1 EP 785107 A 23-07-1997 FR 2743771 A 25-07-1	EP 823362 A 11-02-1998 JP 10100907 A 21-04-19				JP 5032168 A JP 4193649 A JP 4201759 A DE 69119370 D	05-10-19 09-02-19 13-07-19 22-07-19 13-06-19
JP 10106382 A 24-04-1 JP 10100834 A 21-04-1 EP 785107 A 23-07-1997 FR 2743771 A 25-07-1	JP 10106382 A 24-04-15 JP 10100834 A 21-04-15 EP 785107 A 23-07-1997 FR 2743771 A 25-07-19 AU 1178697 A 20-08-19				US, 5310218 A	10-05-19
	20-08-19 AU 1178697 A 20-08-19	EP 823362	A	11-02-1998	JP 10106382 A	21-04-19 24-04-19 21-04-19
		EP 785107	<b>A</b>	23-07-1997	`` AU 1178697 A	25-07-19 20-08-19 31-07-19
					•	
					·	

To For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

THIS PAGE BLANK (USPTO)